



# Advanced Provisioner

## Product Overview

Multi-Brand, Automated Phone Provisioning



# Advanced Provisioner

## Overview

Provisioning devices and managing device settings is easier than ever with Advanced Provisioner. The unique system allows for system, reseller, account, and device-wide defaults. Setup intelligent defaults for a reseller, then override specific features on a per-account basis as customers request different settings. Or, further customize individual phones as needed. Enhanced security features also provide unique per-account settings for additional peace of mind and IP-based abuse detection to deter hacking.

With the Advanced Provisioner app, you can:

- Speed up deployment and provision most popular SIP endpoints quickly
- Auto-provision physical VoIP phones remotely
- Customizable Office Hour Strategy
- Provide single users with multiple devices
- Check IP status to assist with troubleshooting
- Remotely reboot phones to update their configuration
- Customize settings for individual accounts and devices

The screenshot displays the KAZOO Advanced Provisioner web interface. The top navigation bar includes the KAZOO logo, a settings icon, and the text 'Advanced Provisioner'. Below this, a secondary navigation bar shows 'Devices', 'Account Settings' (which is highlighted), and 'IP Check'. The main content area is titled 'Basic' and contains several configuration fields:

- Enable:** A dropdown menu set to 'Inherit', with a note 'Inherits Enabled from the Defaults'.
- Display Name:** A text input field containing '2600Hz-Office'.
- Transport:** A dropdown menu set to 'UDP'.
- Expire time:** An empty text input field, with a note 'Inherits 360 from the Defaults'.
- Voicemail number:** An empty text input field, with a note 'Inherits \*97 from the Defaults'.

Below the 'Basic' section is the 'SIP' section, which includes:

- SIP Realm:** An empty text input field.
- SIP Username:** An empty text input field.
- SIP Password:** An empty text input field.
- Primary Address:** An empty text input field, with a note 'Inherits west.sip.sandbox.2600hz.com from the Defaults'.

## Highlights









## Reseller-Centric, Multi-Tier Settings

## Check IP status

## Custom Device Settings

## Auto-Provisioning with Simple Brand Guidance

## Visually Identify Your Device

DEVICE NAME	STATUS	MAC ADDRESS	BRAND	MODEL
sb-cp960	Registered	00:15:65:f3:f7:1e	Yealink	 
sb-g-h802	Not Registered	00:0b:82:b6:20:6f	GRANDSTREAM	 
sb-y-t41s	Not Registered	00:15:65:bd:37:ac	Yealink	 
sb-y-w60p	Not Registered	80:5e:c0:02:39:d3	Yealink	 

## Manage and Monitor Multiple Devices

No matter what type of device or what brand, you can manage and monitor them all directly in the app. You can set account-wide settings that will apply to all devices, and can even troubleshoot by checking the IP status for devices.

[Links](#)
[Calendar](#)
[Book & Time](#)
[Settings](#)
[Network](#)
[Preferences](#)
[Block Out Rules](#)
[Schedule and Repeat Rules](#)

## Callier ID

Format  ⓘ Inherit Name + Number from the Defaults

## Voicemail Alert

Play Tone  ⓘ Inherit No from the Defaults

## Hold Alert

Play Tone  ⓘ Inherit Yes from the Defaults

Delay  ⓘ Inherit 60 from the Defaults

## Intercom

Allow  ⓘ Inherit Yes from the Defaults

Play Tone  ⓘ Inherit Yes from the Defaults

# Advanced Provisioner

## Technical Specifications

### Provisioning Protocol

- HTTP & HTTPS provisioning

### Brand Support

- Cisco (SPA3XX, SPA5XX, SPA9XX)
- Polycom (SPIP, VVX, TRIO, ROVE)
- Yealink (CPXXX, T1X, T2X, T3X, T4X, T5X, W5X)
- Grandstream (GXP21XX, GXV3XXX, GRP260X, GRP261X, GRP262X, HT)
- Obihai (20X, 30X, 50X, 10XX)
- Htek (UC9XX)
- Alcatel-Lucent (MYRIAD, HALO)
- vtech (VCS75X, VSP8XX)

### Device Options

- Configure
- Unlock
- Restart
- View File Log
- View Config Files
- Delete

### Basic Configurations

- SIP profiles: realm, username/password
- Screen Display Name
- Transport
- Expire Time
- Voicemail number
- Codec configuration and preferences

### Advanced Configurations

- Show missed calls
- RTP Encryption (SRTP)
- RPort
- UDP Keep Alive
- Keep Alive Interval

### Date & Time Configuration

- Date and time format
- Time zone
- Daylight savings
- NTP time server

### Advanced Key Configurations

- Line
- BLF
- Call Park
- Conference
- Transfer
- Hold
- DND
- Call Return
- Voicemail
- Speed Dial

### Network

- IP Address
- VLAN Support
- DNS

### Hotline Configuration

- Auto-dial number
- Delay

### Management Services

- Remote restart & configuration reload